

BROOKHAVEN NATIONAL LABORATORY
ASSOCIATED UNIVERSITIES, INC.
 UPTON, L. I., N. Y. 11973
 TEL. AREA CODE 516 YAPHANK 4-6262

REFER

MEDICAL DEPARTMENT

January 7, 1969

Mr. William A. Bonnet
 U. S. Atomic Energy Commission
 P. O. Box 580
 Honolulu, Hawaii 96809

Dear Bill:

Enclosed is a copy of a letter I have received from Dr. Peck. His suggested use of the Assembly Hall on Enue is something that we should strongly consider. I have talked with Col. Gomes and Tommy McGraw and they state that this building is well preserved, with a thick concrete slab floor. McGraw states that the radioactivity inside of this building is quite low. All in all I believe that the use of this existing structure should be entirely satisfactory for our purpose, provided of course, that we have the generator and water available. Since the building is quite large the matter of whether this is used in conjunction with the dispensary is of no great importance. From my previous drawings you know about what our space requirements will be. Perhaps even one of the existing rooms would be satisfactory. Can you obtain from Holmes & Narver any existing plans of this building? I do not believe the weight of the lead brick shielding will offer any problem even though some 2 to 3 tons may be concentrated in an area about 6 x 4 feet. If it is considered necessary, the TT might be asked to take us by Bikini on the next survey to evaluate this situation. However, I would hope that we would be able to solve it without this.

Still no word from the TT about the use of the ship which puts us pretty much on the spot. I have already obtained reservations for the team and certainly hope that the time schedule as submitted to Mr. Norwood will be confirmed.

Sincerely,



Robert A. Conard, M.D.

RAC:jr

cc: Lt. Col. Gomes
 Mr. T. McGraw

REPOSITORY

COLLECTION

BOX No.

FOLDER

DOE/PASO

DOE/NV

1228, "ERDA # 3"

BIO-MED, DR. CONARD

01 THRU 06 / 1969

5013396