

**The DOE Princeton Plasma Physics Lab Exceeds BOTH DOE FY-2005 & FY-2010 MSW Recycling Rate Goals
Recycle 45 % of MSW by FY-2005 & 50% FY-2010**

Type	Oct-04	Nov-04	Dec-04	Jan-05	Feb-05	Mar-05	Apr-05	May-05	Jun-05	Jul-05	Aug-05	Sep-05	YTD tons	% Recycled
MSW (Trash)	5.26	4.50	4.78	4.60	5.00	5.76	5.33	4.43	5.94	5.64	5.02	4.69	60.94	
Al Cans/ Glass Bottles	0.49	0.75	0.84	0.98	1.24	0.85	0.76	0.43	0.51	0.84	1.71	0.80	10.20	7.99%
Cardboard & Paper	3.95	3.92	4.55	3.86	4.19	3.62	6.72	5.08	5.40	5.74	5.03	4.49	56.55	44.29%
% Recycled per Month	45.77%	50.95%	53.00%	51.27%	52.07%	43.70%	58.39%	55.46%	49.87%	53.85%	57.31%	58.00%	52.28%	52.28%

PPPL attained these goals with improved signage at the recycling/MSW stations throughout



The lab. We also sent email to all the employees stating our progress to beat the goal and try to meet our own goal of 55% MSW recycled.

**The DOE Princeton Plasma Physics Lab Exceeds BOTH DOE FY-2005 & FY-2010 MSW Recycling Rate Goals
Recycle 45 % of MSW by FY-2005 & 50% FY-2010**



Photos of the installation of upgraded truck scale the lighted readout. The MSW contractor weighs in and out and the weigh slips are deposited in a mailbox at the guard booth.