

U.S. Department of Energy Orders Self-Study Program



DOE O 440.1B

**WORKER PROTECTION MANAGEMENT
FOR DOE FEDERAL AND CONTRACTOR EMPLOYEES**

**NATIONAL NUCLEAR SECURITY ADMINISTRATION
LEARNING AND CAREER DEVELOPMENT DEPARTMENT**

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

**DOE O 440.1B
WORKER PROTECTION MANAGEMENT FOR DOE FEDERAL (INCLUDING
NATIONAL NUCLEAR SECURITY ADMINISTRATION) EMPLOYEES
FAMILIAR LEVEL**

OBJECTIVES

Given the familiar level of this module and the resources listed below, you will be able to:

1. State the objectives of DOE O 440.1B.
2. State the hazard prevention/abatement process that must be implemented according to DOE O 440.1B.
3. List the responsibilities assigned by DOE O 440.1B to the following.
 - Heads of Field Elements
 - Operations Office Managers
4. State the elements of an acceptable fire protection program.
5. State the elements that must be included in industrial hygiene.
6. State the pressure safety requirements.
7. State the areas that must be addressed in motor vehicle safety.
8. State the requirements for worker safety and health training.

Note: If you think that you can complete the practice at the end of this level without working through the instructional material, complete the practice now. The course manager will check your work. You will need to complete the practice in this level successfully before taking the criterion test.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

RESOURCES

DOE O 440.1B, *Worker Protection Management for Federal DOE (Including the National Nuclear Security Administration) Employees*, 5/17/07.

U.S. Chemical Safety and Hazard Investigation Board Investigation Report NO. 2005-04-I-TX *Refinery Explosion and Fire*; Office of Environment, Safety, and Health, Operating Experience Summary, April 21, 2006, issue number 2006

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

INTRODUCTION

The familiar level of this module is designed to provide the basic information to meet the requirements that are related to DOE O 440.1B, *Worker Protection Management for DOE Federal (Including National Nuclear Security Administration Employees)*, in the following DOE Functional Area Qualification Standards:

- DOE-STD-1156-2002, *Environmental Compliance*
- DOE-STD-1157-2002, *Environmental Restoration*
- DOE-STD-1181-2004, *Facility Maintenance Management*
- DOE-STD-1151-2002, *Facility Representative*
- DOE-STD-1137-2007, *Fire Protection*
- DOE-STD-1146-2007, *General Technical Base*
- DOE-STD-1138-2007, *Industrial Hygiene*
- DOE-STD-1183-2007, *Nuclear Safety Specialist*
- DOE-STD-1160-2003, *Occupational Safety*
- DOE-STD-1150-2002, *Quality Assurance*
- DOE-STD-1175-2006, *Senior Technical Safety Manager*
- DOE-STD-1178-2004, *Technical Program Manager*
- DOE-STD-1155-2002, *Transportation and Traffic Management*
- DOE-STD-1159-2003, *Waste Management*

Completion of this module also meets certain requirements associated with the DOE Facility Representative Program and the DOE Intern Program. The information contained in this module addresses specific requirements and as such does not include the entire text of the source document. Before continuing, you should obtain a copy of the Order. Copies of the DOE Orders are available at <http://www.directives.doe.gov/> or through the course manager.

SECTION 1, OBJECTIVE

To establish the framework for an effective worker protection program that will reduce or prevent accidental losses, injuries, and illnesses by providing DOE Federal and contractor workers with a safe and healthful workplace.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

SECTION 4, REQUIREMENTS

DOE elements must:

- Establish and implement a written worker protection program appropriate for the facility hazards that:
 - Provides a place of employment free from recognized hazards that are causing or are likely to cause death or serious physical harm to their employees; and,
 - Integrates all requirements contained in paragraphs 4a through 4m of DOE O 440.1B; program requirements contained in 29 CFR 1960, “Basic Program Elements for Federal Employee Occupational Safety and Health Programs and Related Matters;” applicable functional area requirements contained in attachment 1 of DOE O 440.1B; and other related site-specific worker protection activities.
- Establish written policy, goals, and objectives for the worker protection program.
- Use qualified worker protection staff to direct and manage the worker protection program.
- Assign worker protection responsibilities, evaluate personnel performance, and hold personnel accountable for worker protection performance.
- Encourage the involvement of employees in the development of program goals, objectives, and performance measures and in the identification and control of hazards in the workplace.
- Provide workers the right, without reprisal, to:
 - Accompany DOE worker protection personnel during workplace inspections;
 - Participate in activities provided for in DOE O 440.1B on official time;
 - Express concerns related to worker protection;
 - Decline to perform an assigned task because of a reasonable belief that, under the circumstances, the task poses an imminent risk of death or serious bodily harm to that individual, coupled with a reasonable belief that there is insufficient time to seek effective redress through the normal hazard reporting and abatement procedures established in accordance with DOE O 440.1B.
 - Have access to DOE worker protection publications, DOE-prescribed standards, and the organization’s own worker protection standards or procedures applicable to the workplace;
 - Observe monitoring or measuring of hazardous agents and have access to the

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

- results of exposure monitoring;
 - Be notified when monitoring results indicate they were overexposed to hazardous materials;
 - Receive results of inspections and accident investigations upon request;
 - Have limited information on any recordkeeping.
 - Access is subject to Freedom of Information Act requirements and restrictions; and
 - Review the DOE Form 5484.3 that contains the employee's name as the injured or ill worker.
- Implement procedures to allow workers to stop work when they discover employee exposures to imminent danger conditions or other serious hazards. The procedure must ensure that any stop work authority is exercised in a justifiable and responsible manner.
 - Inform workers of their rights and responsibilities by appropriate means, including posting the Occupational Safety and Health Protection for DOE Employees Poster in the workplace where it is accessible to all workers.
 - Identify existing and potential workplace hazards and evaluate the risk of associated worker injury or illness.
 - Implement a hazard prevention/abatement process to ensure that all identified hazards are managed through final abatement or control.
 - For hazards identified either in the facility design or during the development of procedures, controls must be incorporated in the appropriate facility design or procedure.
 - For existing hazards identified in the workplace, abatement actions prioritized according to risk to the worker must be promptly implemented, interim protective measures must be implemented pending final abatement, and workers must be protected immediately from imminent danger conditions.
 - Hazards must be addressed when selecting or purchasing equipment, products, and services.
 - Hazard control methods must be selected based on the following hierarchy:
 - Substitution and/or elimination.
 - Engineering controls.
 - Work practices and administrative controls that limit worker exposures.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

➤ Personal protective equipment.

- Provide workers, supervisors, managers, visitors, and worker protection professionals with worker protection training.
- Develop and implement occupant emergency plans and procedures, conduct training, and emergency drills according to directives and guidance issued by DOE.
- Comply with the worker protection requirements that are applicable to the hazards at the facility.
- Nothing in this document must be construed as relieving a federal facility from complying with any additional specific safety and health requirement that it determines to be necessary to protect the safety and health of workers.
- Additional requirements for applicable functional areas are contained in Attachment 1 of DOE O 440.1B.

SECTION 5, RESPONSIBILITIES

HEADS OF DEPARTMENTAL ELEMENTS AND HEADS OF FIELD ELEMENTS

Ensure through the contracting officer that contractors implement the requirements of 10 CFR 851.

Review contractor worker protection program budgets and provide recommendations to the funding official on the appropriateness of the budget request.

Provide contractors with technical direction on and criteria for the development of contractor goals, objectives, and performance measures.

Hold DOE line personnel accountable for providing technical direction to contractors that is consistent with the requirements contained in 10 CFR 851.

Evaluate the need for and direct the development of formal written agreements between Departmental elements on their sites. These agreements must outline the respective roles, responsibilities, and authorities of each Departmental element as they relate to compliance with DOE worker protection requirements and the resolution of cross-cutting worker protection-related issues.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

Review and forward, to the DOE Chief Health, Safety and Security Officer all exemptions, exceptions, and variances to mandatory worker protection requirements contained in DOE O 440.1B. Conduct an annual review of the status of all exemptions to the requirements contained in DOE O 440.1B to ensure that circumstances requiring the need for relief have not changed and that instituted controls are still implemented and appropriate.

Provide annually to the Office of Health, Safety and Security input for the Department of Labor's Federal Employee Occupational Safety and Health (FEOSH) report, including status of progress in meeting established goals, new initiatives, and other requested information.

Establish annually FEOSH Program goals and objectives for promoting the program and for reducing accidents, injuries, and lost-time cases.

OPERATIONS OFFICE MANAGERS (AND HEADS OF FIELD ELEMENTS, WHERE APPLICABLE)

Ensure that unannounced worker protection inspections of contractor workplaces are conducted at least annually.

Ensure immediate and effective remedial actions are taken for imminent danger situations. Conduct an inspection as soon as possible after an imminent danger situation has been corrected to ensure that appropriate actions have been taken to preclude recurrence. Determine if adequate protection can be achieved by continuing to operate under the terms of existing contracts requiring compliance with old Orders or, if it is necessary, modify the contract to incorporate the contractor requirements document (CRD) requirements.

Ensure that initiators of procurement requests specify if requirements in the CRD are to be applied to the resulting award or subawards.

ATTACHMENT 1, FUNCTIONAL AREA REQUIREMENTS

CONSTRUCTION SAFETY

The following requirements and responsibilities apply for construction projects above the monetary threshold established by the Davis-Bacon Act at Government-owned or -leased

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

facilities where the contract clause “Safety and Health” applies:

Heads of Departmental Elements, and Heads of Field Elements.

Designate a project manager for each construction project.

Ensure that project managers are provided with the training, resources, and technical support necessary to perform the duties prescribed by DOE O 440.1B.

Develop formal written agreements/implementing instructions as needed to delineate the respective construction safety responsibilities/duties of DOE project management and technical support staffs.

Review safety and health programs developed for site maintenance and operational activities to determine their applicability and cost effectiveness on construction projects.

Direct the development and implementation of a system for evaluating the effectiveness of construction contractor safety and health programs on fixed-price construction projects and apply this system to the determination of bidder responsibility on future construction projects.

Ensure that applicable requirements of this Order are specified within construction project acquisition documents.

Construction Project Managers

Determine the necessity for requiring dedicated construction contractor safety and health personnel on project workplaces.

Ensure that construction project acquisition documents provide information or reference to existing documentation that describes known hazards to which project workers may be exposed.

Ensure that a pre-work safety meeting is conducted with the construction contractor to review project safety and health requirements.

Ensure that the project safety and health plan is approved prior to any onsite project work and that required hazard analyses are completed and approved prior to start of work on affected construction operations.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

Ensure that project safety and health plans and hazard analyses are revised, as necessary, to address identified deficiencies in project safety and health performance or changes in project operations, contractors, or personnel.

Through personal on-site involvement and/or formal delegation to support staff and/or the construction manager, perform frequent and regular documented on-site reviews of construction contractor safety and health program effectiveness.

Ensure documentation exists for all formal contract actions taken to enforce construction contractor compliance with project safety and health requirements.

FIRE PROTECTION

Establish and implement a comprehensive fire protection program with the objective of providing an acceptable level of safety from fire and related hazards for DOE and NNSA Federal personnel and for the public. This includes appropriate facility and site-wide protection, fire alarm notification and egress features, and access to a fully staffed, trained, and equipped fire department that is capable of responding in a timely and effective manner to site occurrences.

An acceptable fire protection program includes those fire protection criteria and procedures, analyses, hardware and systems, apparatus and equipment, and personnel that comprehensively ensure that the above objective is met. This includes meeting applicable building codes and National Fire Protection Association (NFPA) codes and standards or exceeding unless explicit written relief has been granted.

NFPA Standard 101, *Life Safety Code*, is applicable to most DOE facilities. DOE Elements with Federal worker responsibility may determine that NFPA 101A, *Alternate Approaches to Life Safety*, can be applied to DOE facilities where an equivalent level of life safety to NFPA 101 is needed provided that such an alternative approach is determined by a qualified individual. DOE elements with Federal worker responsibility also should determine the additional or modified exit requirements needed for toxic and explosive environments if appropriate. The exit requirements for explosives environments should reflect the criteria contained in the DOE M 440.1-1A, *Explosives Safety Manual*. Additional fire protection features and personnel limits

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

should be maintained where noncompliance with some NFPA Standard 101 provisions are necessary to prevent creating serious hazards, e.g. as could occur in some containment structures.

When applicable, fire watcher requirements in NFPA 51B should be expanded to include responsibility for the safety of the welder(s) in addition to that of the facility.

FIREARMS SAFETY

Establish firearms safety policies and procedures for security operations and training to ensure proper accident prevention controls are in place. Written procedures must address firearms safety, engineering and administrative controls, as well as personal protective equipment requirements. At a minimum, procedures must be established for:

- Storage, handling, cleaning, inventory and maintenance of firearms and associated ammunition;
- Activities such as loading, unloading, and exchanging firearms. These procedures must address use of bullet containment devices and those techniques to be used when no bullet containment device is available;
- Use and storage of pyrotechnics, explosives, and/or explosive projectiles;
- Handling misfires, duds, and unauthorized discharges;
- Live fire training, qualification, and evaluation activities;
- Training and exercises using engagement simulation systems;
- Training and exercises using obscurant-generating devices;
- Emergency responses at firearms training facilities; and,
- Use of firing ranges by personnel other than DOE or DOE contractor protective forces personnel.

Ensure that personnel responsible for the direction and operation of the firearms safety program are professionally qualified and have sufficient time and authority to implement the established program.

Ensure that firearms instructors and armorers have been certified by the Safeguards and Security National Training Center. Personnel must be professionally qualified through DOE National Training Center, military, or factory training to conduct the level of activity they provide.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

Conduct formal appraisals assessing implementation of procedures, personnel responsibilities, and duty assignments to ensure overall policy objectives.

Implement provisions related to firearms training, live fire range safety, qualification, and evaluation activities.

Personnel must successfully complete and demonstrate understanding of initial firearms safety training before being issued any firearms. Authorization to remain in armed status will continue only if the employee demonstrates the technical and practical knowledge of firearms safety semi-annually.

Personnel authorized to carry firearms must have access to instruction manuals or materials for each type of firearm with which they are armed while on duty.

Authorized armed personnel must demonstrate both technical and practical knowledge of firearms handling and safety on a semi-annual basis. This demonstration must be supported by limited scope performance tests, and the results of such testing must be documented.

All firearms training lesson plans must incorporate safety for all aspects of firearms training task performance standards. Lesson plans must follow the standards and criteria set forth by the Safeguards and Security Central Training Academy's standard training program.

Firearms safety briefings must immediately precede training, qualifications, and evaluation activities involving live fire and/or engagement simulation systems.

A safety analysis approved by DOE line management must be developed for the facilities and operation of each live fire range. A safety analysis must be completed and approved prior to implementation of any new training, qualification, or evaluation activity. Results of these analyses must be incorporated into procedures, lesson plans, exercise plans, and limited scope performance tests.

Firing range safety procedures must be conspicuously posted at all primary range facilities.

Live fire ranges must be properly sited to protect personnel on the range, as well as personnel and property not associated with the range. Approval for the location and use of live fire range

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

must be obtained from the DOE field element manager.

Develop a safety or risk analysis for all facilities or areas in which firearms will be introduced in accordance with the local protection strategy. Such analyses must be approved by DOE line management.

Ensure that the transportation, handling, placarding, and storage of munitions conform to the applicable requirements of DOE M 440.1-1A, DOE Explosives Safety Manual.

The administration and management of DOE M 440.1-1A, and any deviations from it, must follow the process specified in chapter I, paragraphs 3 and 4, of the manual. Revisions to the manual are made through concurrence of the DOE Explosives Safety Committee.

INDUSTRIAL HYGIENE

Implement a comprehensive and effective industrial hygiene program to reduce the risk of work-related disease or illness.

Include the following elements in industrial hygiene programs:

- Initial or baseline surveys of all work areas or operations to identify and evaluate potential worker health risks.
- Coordination with planning and design personnel to anticipate and control health hazards that proposed facilities and operations would introduce.
- Coordination with cognizant occupational medical, environmental, health physics, and work planning professionals.
- Policies and procedures to mitigate the risk from identified and potential occupational carcinogens.
- Professionally and technically qualified industrial hygienists to manage and implement the industrial hygiene program.
- Periodic resurveys and/or exposure monitoring as appropriate.
- Documented exposure assessment for chemical, physical and biological agents and ergonomic stressors using recognized exposure assessment methodologies and use of accredited industrial hygiene laboratories.
- Specification of appropriate engineering, administrative, work practice, and/or

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

- personal protective control methods to limit hazardous exposures to acceptable levels.
- Worker education, training, and involvement.
 - Use of appropriate industrial hygiene standards.
 - Use of respiratory protection equipment tested under the DOE Respirator Acceptance Program for Supplied-A Suits when National Institute for Occupational Safety and Health approved respiratory protection does not exist for DOE tasks that require such equipment. For security operations conducted in accordance with Presidential Decision Directive 39, U. S. Policy on Counter Terrorism, use of Department of Defense military type masks for respiratory protection by security is acceptable.

BIOLOGICAL SAFETY

Implement and manage a program that confirms handling, transfer, use, and receipt of etiologic agents are conducted by professionally and technically qualified individuals in a manner consistent with the potential hazard.

Confirm that each DOE contractor performing work with etiologic agents establishes an Institutional Biosafety Committee (IBC) or equivalent, which will be responsible for recommending approval and reviewing proposals and programs for compliance with the Centers for Disease Control (CDC), Department of Agriculture, National Institutes of Health (NIH), World Health Organization (WHO), and other international, Federal, State, and local regulations or guidelines for work with etiologic agents. This review should include assessment of containment level, facilities, procedures, practices, and training and expertise of personnel. In addition, this committee should review the site's security, safeguards, and emergency management plans and procedures to ensure that they adequately address work with etiologic agents. DOE staff, with the requisite technical expertise and training, should be included as a member of the facility IBC (or equivalent).

Be aware of each CDC registration certificate issued to a DOE facility registered and approved to transfer, receive, and handle select agents at Biosafety Level (BSL) 2, 3, or 4 under their cognizance. The field elements must also be aware of each CDC Form EA-101, Transfer of Select Agents, for each select agent received or transferred by a registered facility under their cognizance.

Maintain a record of the status of etiologic agents at facilities under their authority, based on annual reports from contractors.

PRESSURE SAFETY

DOE elements must implement a comprehensive pressure vessel and pressure system safety program. This program must meet, at a minimum, the following criteria:

- Establish written and documented safety policies and procedures to ensure that all pressure vessels and systems are designed, fabricated, tested, procured, inspected, maintained, repaired, and operated by trained and qualified personnel in accordance with applicable and sound engineering principles.
- All pressure vessels, boilers, air receivers, and supporting piping systems must conform to the following applicable code or standard in place at time of installation or significant modification:
 - American Society of Mechanical Engineers (ASME) Design and Construction of Boiler, Air Receivers, and Pressure Vessels;
 - American National Standards Institute/ASME B.31 Piping Code;
 - National Board Inspection Code NB-23;
 - Department of Transportation, 49 CFR Parts 100-199; and/or
 - Strictest applicable state and local codes.
- If national consensus codes are not applicable (because of pressure range, vessel geometry, use of special materials, etc.), implementing measures must be established to provide equivalent protection and ensure safety equal to or superior to the intent of the ASME code. Measures must meet the following criteria:
 - Design drawings, sketches, and calculations must be reviewed and approved by an independent design professional. Documented organizational peer review is acceptable.
 - Qualified personnel must be used to perform examinations and inspections of materials, in-process fabrications, non-destructive tests, and acceptance tests.
 - Documentation, traceability, and accountability must be maintained for each pressure vessel or system, including descriptions of design, pressure, testing, operation, repair, and maintenance.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

- Each pressure vessel or system, including the design, pressure ratings, traceability, inspection, testing, operations, repair, and maintenance requirements must be described and documented.
- All components in the pressure system, especially components of pressure relief devices and control valves, must be inspected, tested, and maintained as required by the above applicable standards. Inspections, testing, and maintenance may be done according to competently developed and peer-reviewed engineering and maintenance specifications, provided that they ensure safety equal to or superior to the intent of any applicable standard. This process must be documented.
- Qualified personnel must control the selection and use of the pressure hardware, including quality control requirements, procurement specifications, and assembly of pressure components.
- Personnel who design, build, and operate pressure systems must be trained and qualified through documented formal classroom attendance, testing, on-the-job experience and/or training.
- Worker Involvement/Safety Committee(s) must recommend and/or review safety policies; address unusual problems and occurrences; and provide advice and assistance in pressure safety.

MOTOR VEHICLE SAFETY

Implement a Motor Vehicle Safety Program to protect the safety and health of all drivers and passengers in Government-owned or -leased motor vehicles and powered industrial equipment.

Tailor the program for the individual DOE site or facility, based on an analysis of the needs of that particular site or facility, and it must address the following areas:

- Minimum licensing requirements (including appropriate testing and medical qualification) for personnel operating motor vehicles and powered industrial equipment.
- Requirements for the use of seat belts and provision of other safety devices.
- Training for specialty vehicle operators.
- Requirements for motor vehicle maintenance and inspection.
- Uniform traffic and pedestrian control devices and road signs.
- On-site speed limits and other traffic rules.

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

- Awareness campaigns and incentive programs to encourage safe driving.
- Enforcement provisions.

ELECTRICAL SAFETY

DOE Elements must implement a comprehensive electrical safety program appropriate for the activities at the facility. The program must meet the applicable electrical safety codes and standards referenced in paragraph 4m of DOE O 440.1B.

TRAINING AND INFORMATION

Develop and implement a worker safety and health training and information program to ensure that all federal workers exposed or potentially exposed to hazards are provided with the training and information on that hazard in order to perform their duties in a safe and healthful manner.

Provide the following:

- Training and information for new federal workers, before or at the time of initial assignment to a job involving exposure to a hazard;
- Periodic training as often as necessary to ensure that federal workers are adequately trained and informed; and
- Additional training when safety and health information or a change in workplace conditions indicates that a new or increased hazard exists.

DOE must provide training and information to federal workers who have worker safety and health program responsibilities that is necessary for them to carry out those responsibilities.

RECORDKEEPING AND REPORTING

Recordkeeping

Establish and maintain complete and accurate records of all hazard inventory information, hazard assessments, exposure measurements, and exposure controls.

Ensure that the work-related injuries and illnesses of federal workers and

Change No: 1 DOE O 440.1B Level: Familiar Date: 11/1/08
--

contractor/subcontractor workers are recorded and reported accurately.

Comply with the applicable occupational injury and illness recordkeeping and reporting workplace safety and health standards referenced in paragraph 4m of DOE O 440.1B unless otherwise directed in DOE M 231.1-1A.

Ensure that any information concerning non-compliance or potential noncompliance with the requirements in this document is not concealed nor destroyed.

Reporting and Investigation

Report and investigate accidents, injuries and illness (reference DOE O 225.1A, Accident Investigations; DOE O 231.1A, Environment, Safety and Health Reporting: and 29 CFR 1960 Subpart I.)

Analyze related data for trends and lessons learned (reference DOE O 225.1A, Accident Investigations, dated 11-26-97.)

Change No: 1 DOE O 440.1B Level: General Date: 11/1/08

**DOE O 440.1B
WORKER PROTECTION MANAGEMENT FOR DOE FEDERAL (INCLUDING
NATIONAL NUCLEAR SECURITY ADMINISTRATION) EMPLOYEES
GENERAL LEVEL**

OBJECTIVES

Given the familiar level of this module, a scenario, and an analysis, you will be able to:

1. list the key elements you would look for in the contractor's action plan to correct the situation described in the scenario; and
2. state which requirements, sections, or elements of the DOE O 440.1B apply to the situation described in the scenario.

<p>Note: If you think that you can complete the practice at the end of this level without working through the instructional material and/or the examples, complete the practice now. The course manager will check your work. You will need to complete the practice in this level successfully before taking the criterion test.</p>
--

Change No: 1 DOE O 440.1B Level: General Date: 11/1/08

RESOURCES

DOE Orders Self Study Program, DOE O 440.1B, Familiar Level, 10/1/08.

DOE O 440.1B, *Worker Protection Management for DOE Federal (Including National Nuclear Security Administration Contractor Employees*, 5/17/07.

INTRODUCTION

The familiar level of this module introduced DOE O 440.1B. Several responsibilities and requirements from DOE O 440.1B were discussed. In the general level of this module, students are asked to apply the information contained in the familiar level and the Orders to a series of questions related to the Order. Students are also presented with a scenario that depicts a work situation related to the Orders contained in this module. The example scenario includes a situation, the actions taken to remedy the situation, and the requirements related to the situation. Students will be asked to review the contractor's actions and decide if they are correct. Students will also be asked to decide if the correct Order requirements were cited in each situation. Please refer to the Order to make your analysis and answer the questions.

This practice is required if your proficiency is to be verified at the general level. If you are to be qualified as a facility representative, the practice will prepare you for the criterion test. You will need to refer to the Orders to answer the questions in the practice correctly. The practice and criterion test will also challenge additional analytical skills that you have acquired in other formal and on-the-job training for the facility representative position.

PRACTICE

Please review the following scenario and answer the following questions.

1. Was the situation handled correctly? If not, what should have been done?
2. Was the list of requirements, sections, and elements of DOE O 440.1B complete and correct? If not, state the correct or omitted requirements.

SCENARIO

A new construction contractor is contracted to excavate around ductwork on the exterior of the north side of building 2. The project included the following tasks.

- Excavation of overburden to access ducting laterals and main duct branch in the area of the 13.2KV and 480V power lines on the exterior of the north side of building 2.
- Break up the concrete pad located under the drain line.
- Remove the spoil piles located near the ductwork trenches on the north side of the building.

Change No: 1 DOE O 440.1B Level: General Date: 11/1/08

The purpose of the work is to expose the ductwork and electric utility concrete encasement to prepare for the removal activity. The concrete pad is approximately 8 feet by 20 feet by 4 inches thick and is located approximately 3 to 4 feet above a buried 480V line that is encased in concrete. There is a 13.2KV line approximately 3 1/2 feet away from the 480V line that is also buried at approximately 3 to 4 feet and encased in concrete. A utility survey was conducted and the utilities were located before work began. Additionally, the underground concrete encased power lines had been previously exposed, and were in view approximately three feet below grade level. Construction workers knew the location of both lines and that they were energized.

On February 14, 1996, the project leader from facilities, security, and safeguards facility project delivery issued a verbal stop work activity to the construction contractor to prevent using a Daewoo Trackhoe with the hydraulic hammer to break up a concrete pad. The verbal stop work was issued because the contractor is contractually required to hand excavate within five feet of utility lines. The project leader also questioned the wisdom of using a jackhammer near utility lines when there were other effective options available. It was noted that at least one piece of the rubble had slid down onto the 480v encasement.

The facility manager requested that the environmental, safety, and health occupational safety section (ESHOSS) conduct a safety analysis of the current work effort for any safety concerns or violation of OSHA requirements. This action was initiated after the facility representative (FR) had expressed safety concerns due to the vibrations from the hydraulic hammer and the proximity of this operation to the 480V and 13.2KV power line.

ESHOSS conducted an on-site evaluation on February 15, and reported that there was no indication of any physical impact to the concrete encasement around the 480V and 13.2KV lines. ESHOSS also reported that the job was safe according to OSHA requirements, and they authorized the construction contractor to continue.

The FR still had a safety concern about working within 5 to 6 feet of the energized lines. The FR attempted to discuss this concern with the contractor's safety personnel. However, no safety person from the contractor was available. The FR then called the project leader and was assured that the pad would be lifted up and moved away from the area with a backhoe. The FR agreed that this approach would be acceptable.

On February 16, 1996, work began on the concrete pad using the hydraulic hammer. The FR issued an oral stop work order at this time. The contractor did not have a safety person on site.

Further investigation of the situation revealed the following.

- The utilities had been surveyed and marked or staked three times. However, the work in progress had covered up or removed some of the markings and stakes.
- The engineering contract coordinator had previously stopped the jack hammering operation and suggested an alternate means of removing the concrete slab. He felt this suggestion had been acknowledged by the work supervisor and therefore, believed that no further action was required.

Corrective actions taken by the contractor

- The contractor was told that it must comply with the requirement to hand dig within five feet of utility lines.
- The contractor will discuss the requirement to hand dig within five feet of utility lines at a meeting with supervision. This will be the first such meeting held on this project.
- All project activities will include an on-site supervisor and a safety representative during the use of power equipment.

Requirements that are related to this scenario include the following.

- Determine the necessity for requiring dedicated construction contractor safety and health personnel on project workplaces.
- Ensure that a pre-work safety meeting is conducted with the construction contractor to review project safety and health requirements.
- Through personal on-site involvement and/or formal delegation to support staff and/or the construction manager, perform frequent and regular documented on-site reviews of construction contractor safety and health program effectiveness.

Write your answers on the next page and then bring the completed practice to the course manager for review.

Change No: 1
DOE O 440.1B
Level: General
Date: 11/1/08

Note: The course manager will check your practice and verify your success at the general level. When you have successfully completed this practice, the course manager will give you the criterion test.