
CONTENTS

HISTORY AND BACKGROUND

ACKNOWLEDGMENT

INTRODUCTION

CHAPTER 1 TERMINOLOGY AND DEFINITIONS.....1-1

CHAPTER 2 CRITICAL LIFTS2-1

2.1 CRITICAL-LIFT DETERMINATION.....2-1

2.2 CRITICAL-LIFT REQUIREMENTS.....2-2

CHAPTER 3 PREENGINEERED PRODUCTION LIFTS.....3-1

3.1 PREENGINEERED PRODUCTION LIFT DETERMINATION.....3-1

3.2 LIFTING FIXTURES3-2

3.3.1 Design3-2

3.3.2 Fabrication3-2

3.3.3 Inspection and Testing3-2

3.3.4 Storage, Maintenance, and Control3-2

3.3.5 Modification and Repair3-3

3.3 PROCEDURES3-4

3.4.1 Content3-4

3.4.2 Development3-4

3.4.3 Preparation and Revision3-4

3.4.4 Approval3-5

3.4.5 Review3-5

3.4.6 Use3-5

3.4 DESIGNATED LEADER3-6

3.5 TRAINING3-7

3.6.1 Equipment Operation3-7

3.6.2 Procedure3-7

CHAPTER 4 LIFTING PERSONNEL.....	4-1
4.1 GENERAL.....	4-1
4.1.1 Personnel Lifting Evaluation	4-1
4.1.2 Designated Leader	4-1
4.1.3 Trial Lift.....	4-2
4.1.4 Lifting Operations	4-2
4.2 MOBILE CRANES.....	4-5
4.3 OVERHEAD CRANES	4-6
4.4 PERSONNEL LIFT PLATFORM.....	4-7
4.4.1 Platform Design and Construction.....	4-7
4.4.2 Platform Suspension System.....	4-7
4.5 INSPECTIONS	4-9
4.5.1 Frequent Inspection.....	4-9
4.5.2 Periodic Inspection.....	4-9
4.6 TESTING.....	4-10
4.6.1 Platform Manufacturer Test	4-10
4.6.2 Rated Load Test	4-10
4.6.3 Hoisting Equipment	4-10
4.7 LIFTING PERSONNEL NEAR ELECTRICAL POWER LINES	4-11
4.7.1 General.....	4-11
4.7.2 Condition A.....	4-11
4.7.3 Condition B	4-11
4.7.4 Condition C	4-12
Exhibit I Personnel Lift Platform Pre-Lift Inspection	4-15
Exhibit II Personnel Lifting Planning and Authorization Form.....	4-16

CHAPTER 5 HOSTILE ENVIRONMENTS

5.1 GENERAL.....	5-1
5.2 HOSTILE ENVIRONMENT PLAN.....	5-2
5.2.1 Marking and Posting	5-2
5.2.2 Inspection and Testing	5-2
Exhibit I Hostile Environment Plan	5-3

CHAPTER 6 PERSONNEL QUALIFICATION AND TRAINING

6.1	GENERAL	6-1
6.2	QUALIFICATIONS	6-2
6.2.1	General	6-2
6.2.2	Operators of Cab-Operated and Pulpit-Operated.....	6-2
6.2.3	Operators of Mobile Cranes	6-2
6.2.4	Operators of Truck Mounted Cranes – Capacity 1 Ton or Less	6-4
6.2.5	Operators of Floor-Operated Cranes.....	6-4
6.2.6	Operators of Forklift Trucks	6-4
6.2.7	Operators of Remote Operated Cranes	6-4
6.2.8	Riggers	6-4
6.2.9	Person-In-Charge (PIC)	6-4
6.2.10	Designated Leader	6-5
6.2.11	Inspectors	6-5
6.2.12	Instructors	6-5
6.2.13	First-Line Supervisors.....	6-5
6.2.14	Maintenance Personnel	6-5
6.3	TRAINING	6-7
6.3.1	General	6-7
6.3.2	Cab-Operated, Pulpit-Operated, and Floor-Operated Cranes	6-7
6.3.3	Mobile Crane Operators.....	6-8
6.3.4	Operators of Truck Mounted Cranes – Capacity 1 Ton or Less	6-8
6.3.5	Forklift Truck Operators	6-8
6.3.6	Riggers	6-10
6.3.7	Inspectors	6-10
6.3.8	Instructors	6-11
6.3.9	Maintenance Personnel	6-11
6.4	REQUALIFICATION	6-12
6.5	RECORDS	6-13
CHAPTER 7 OVERHEAD AND GANTRY CRANES		7-1
7.1	GENERAL	7-1
7.1.1	Operator Training/Qualification	7-1
7.1.2	Rated-Load marking	7-1
7.1.3	Modification.....	7-1
7.1.4	Egress	7-1
7.1.5	Hoist Brakes.....	7-1
7.1.6	Power Shutoff	7-1
7.1.7	Hoist-Limit Switch.....	7-5
7.1.8	Load Limits	7-5
7.1.9	Maintenance History	7-5

7.2	INSPECTIONS	7-6
7.2.1	General	7-6
7.2.2	Crane Service	7-6
7.2.3	Initial Inspection	7-6
7.2.4	Daily Preoperational Check	7-6
7.2.5	Monthly Rope, Chain and Hook Inspection	7-6
7.2.6	Frequent Inspection.....	7-7
7.2.7	Periodic Inspection.....	7-7
7.2.7.1	Cranes	7-7
7.2.7.2	Wire Rope	7-8
7.2.7.3	Chain (Welded Link)	7-8
7.2.7.4	Chain (Roller)	7-9
7.2.8	Cranes Not in Regular Service.....	7-11
7.3	TESTING.....	7-12
7.3.1	Operational Tests	7-12
7.3.2	Rated Load Test	7-12
7.4	MAINTENANCE.....	7-14
7.4.1	Operating Equipment	7-14
7.4.2	Wire-Rope Maintenance	7-14
7.5	OPERATION	7-15
7.5.1	Conduct of Operator	7-15
7.5.2	Hoist-Limit Switch/Device	7-15
7.5.3	Standard Hand Signals.....	7-16
7.5.4	Identification of Signalers.....	7-16
7.5.5	Size of Load	7-16
7.5.6	Attaching the Load.....	7-16
7.5.7	Moving the Load.....	7-16
7.5.8	Ordinary Lifts.....	7-18
7.5.9	Planned Engineered Lifts	7-18
7.5.10	Critical Lifts	7-19
Exhibit I	Bridge, Wall, Gantry Crane Load Test	7-22
Exhibit II	Overhead Crane Pre-Operational Checklist.....	7-26
Exhibit III	Overhead Crane Periodic Inspection Report (Mechanical)	7-28
Exhibit IV	Overhead Crane Periodic Inspection Report (Electrical).....	7-30
CHAPTER 8 HOISTS	8-1	
8.1	GENERAL.....	8-1
8.1.1	Operator Training/Qualification	8-4
8.1.2	Marking.....	8-4
8.1.3	Warning Labels	8-4

8.1.3.1	Electric- or Air-Powered Hoists.....	8-4
8.1.3.2	Hand-Chain-Operated or Manual-Lever-Operated Hoists.....	8-4
8.1.4	Design Standards	8-5
8.1.5	Design Factors	8-5
8.1.6	Load-Braking/Load-Controlling Mechanisms.....	8-5
8.1.6.1	Electric-Powered Hoists.....	8-5
8.1.6.2	Air-Powered Hoists.....	8-5
8.1.6.3	Hand-Chain-Operated Hoists	8-6
8.1.6.4	Manual-Lever-Operated Hoists	8-6
8.1.7	Wire Rope	8-6
8.1.8	Load Chain.....	8-6
8.1.8.1	Electric-Powered, Air-Powered, and Manual-Lever-Operated Hoists	8-6
8.1.8.2	Hand-Chain-Operated Hoists	8-6
8.1.9	Web Strap.....	8-7
8.1.10	Overtravel Protection	8-7
8.1.10.1	Travel Warning Devices	8-7
8.1.10.2	Lower-Limit Switches/Devices	8-7
8.1.11	Travel Warning Devices	8-7
8.1.12	Support.....	8-7
8.1.13	Location	8-7
8.1.14	Load Rating.....	8-7
8.2	INSPECTIONS	8-8
8.2.1	Hoist Service.....	8-8
8.2.2	Initial Inspection	8-8
8.2.3	Daily Inspection	8-8
8.2.4	Frequent Inspection.....	8-8
8.2.5	Periodic Inspection.....	8-8
8.2.5.1	Hoists	8-9
8.2.5.2	Wire Rope	8-9
8.2.5.3	Welded-Link Chain.....	8-10
8.2.5.4	Roller Chain	8-11
8.2.5.5	Synthetic-Web Strap	8-12
8.2.6	Hoists Not in Regular Service.....	8-12
8.3	TESTING.....	8-13
8.3.1	Operational Tests	8-13
8.3.1.1	Electric- or Air-Powered Hoists.....	8-13
8.3.1.2	Hand-Chain-Operated Hoists	8-13
8.3.1.3	Manual-Lever-Operated Hoists	8-13
8.3.2	Proof-Load Test	8-13
8.3.2.1	Electric- or Air-Powered Hoists.....	8-13
8.3.2.2	Hand-Chain-Operated or Manual-Lever-Operated Hoists.....	8-13
8.4	MAINTENANCE.....	8-16

8.5	OPERATION	8-17
8.5.1	Conduct of Operator	8-17
8.5.2	Size of Load	8-17
8.5.3	Attaching the Load.....	8-17
8.5.4	Moving the Load.....	8-17
8.5.5	Hoist-Limit Switch.....	8-18
8.5.6	Ordinary Lifts.....	8-18
8.5.7	Planned Engineered Lifts	8-19
8.5.8	Critical Lifts	8-19
Exhibit I	Hoist Load Test and Inspection	8-24
Exhibit II	Underhung Hoist Periodic Inspection Report.....	8-26
CHAPTER 9 MOBILE CRANES.....		9-1
9.1	GENERAL.....	9-1
9.1.1	Operator Training/Qualification	9-1
9.1.2	Load Limits.....	9-1
9.1.3	Load Rating Chart.....	9-1
9.1.4	Load Hoist Brakes.....	9-6
9.1.5	Power-Controlled Lowering	9-6
9.1.6	Booms	9-6
9.1.7	Counterweight.....	9-6
9.1.8	Rerating.....	9-6
9.1.9	Maintenance History.....	9-6
9.1.10	Design Standards	9-6
9.2	INSPECTIONS	9-7
9.2.1	General.....	9-7
9.2.2	Initial Inspection	9-7
9.2.3	Preoperational Check	9-7
9.2.4	Monthly Inspection	9-7
9.2.5	Frequent Inspection.....	9-7
9.2.6	Periodic Inspection.....	9-8
9.2.6.1	Cranes	9-8
9.2.6.2	Hydraulic and Pneumatic Hose, Fittings, and Tubing	9-9
9.2.6.3	Hydraulic and Pneumatic Pumps and Motors.....	9-9
9.2.6.4	Hydraulic and Pneumatic Valves	9-9
9.2.6.5	Hydraulic and Pneumatic Cylinders	9-9
9.2.6.6	Hydraulic Filters	9-9
9.2.6.7	Wire Rope	9-9
9.2.7	Load Hoods/Load Blocks	9-11
9.2.8	Cranes Not in Regular Use	9-11
9.3	TESTING.....	9-12

9.3.1	Operational Tests	9-12
9.3.2	Rated Load Test	9-12
9.4	MAINTENANCE.....	9-13
9.4.1	Preventive Maintenance.....	9-13
9.4.2	Maintenance Procedures	9-13
9.4.3	Wire-Rope Maintenance	9-13
9.5	OPERATION	9-15
9.5.1	Conduct of Operator	9-15
9.5.1.1	Traveling the Machine	9-16
9.5.1.2	Making Adjustments or Repairs	9-16
9.5.1.3	Ensuring Stability.....	9-17
9.5.1.4	Further Safety Considerations.....	9-18
9.5.2	Operating Near Power Lines and Transmitter Towers	9-18
9.5.2.1	Crane Operations De-energized and Grounded Electrical Power Lines.....	9-19
9.5.2.2	Power Lines Energized, Crane Operating Less Than Erected/Fully Extended Boom Length Away From Prohibited Zone.....	9-19
9.5.2.3	Crane Operations are Within the Prohibited Zone and the Power Lines are Energized	9-22
9.5.2.4	Crane in Transit with no Load and Boom Lowered	9-22
9.5.2.5	Crane Operations Near Transmitter Towers	9-22
9.5.3	Hoist-Limit Switch.....	9-22
9.5.4	Standard Hand Signals	9-25
9.5.5	Identification of Signalers.....	9-25
9.5.6	Size of Load	9-25
9.5.7	Attaching the Load.....	9-25
9.5.8	Moving the Load.....	9-25
9.5.9	Ordinary Lifts.....	9-29
9.5.10	Critical Lifts	9-30
Exhibit I	Mobile Crane Load Test	9-33
Exhibit II	Mobile Crane Daily Pre-Operational Check.....	9-37
Exhibit III	Mobile Crane Frequent Inspection Report.....	9-41
Exhibit IV	Mobile Crane Periodic Inspection Report.....	9-43
CHAPTER 10	FORKLIFT TRUCKS	10-1
10.1	GENERAL.....	10-1
10.1.1	Operator Training/Qualification	10-1
10.1.2	Rated Capacity	10-1
10.1.3	Nameplate(s) and Markings	10-1
10.1.3.1	Fork Arm Data	10-1

10.1.4	Attachments	10-1
10.1.5	Modifications	10-2
10.1.6	Warning Devices.....	10-2
10.1.7	Overhead Guards	10-2
10.1.8	Fire Hazard Areas	10-2
10.1.9	Work Atmosphere.....	10-2
10.2	TYPE DESIGNATIONS AND AREAS OF USE.....	10-10
10.2.1	Type Designation	10-10
10.2.1.1	Nonhazardous Areas	10-10
10.2.1.2	Hazardous Areas	10-10
10.2.2	Specific Areas of Use.....	10-11
10.3	INSPECTIONS	10-14
10.3.1	Daily Preoperational Check	10-14
10.3.2	Initial Inspection of New and Rented Equipment.....	10-14
10.3.3	Inspection and Maintenance	10-14
10.3.4	Forks	10-15
10.3.4.1	Fork Load Rating	10-15
10.3.4.2	Fork Inspections.....	10-15
10.3.4.3	Fork Repair	10-16
10.3.5	Battery Maintenance	10-16
10.3.6	History File	10-17
10.4	TESTING.....	10-18
10.4.1	Forklift Truck Load Test.....	10-18
10.4.2	Fork Load Test.....	10-18
10.4.3	Attachment Load Test.....	10-18
10.5	OPERATION	10-19
10.5.1	Conduct of Operator	10-19
10.5.1.1	General	10-19
10.5.1.2	Traveling	10-20
10.5.1.3	Loading	10.21
10.5.2	Lifting of Personnel	10-22
10.5.3	Standard Hand Signals	10-24
10.5.4	Ordinary Lifts.....	10-24
10.5.5	Critical Lifts	10-24
10.5.6	Equipment Qualifications	10.24
Exhibit I	Operations Pre-Shift Inspection Form	10-29
Exhibit II	Forklift Load Test and Inspection Form	10-31
CHAPTER 11	WIRE ROPE AND SLINGS.....	11-1
11.1	GENERAL.....	11-1

11.2 WIRE ROPE	11-4
11.2.1 Wire-Rope Lays	11-4
11.2.2 Wire-Rope Cores	11-4
11.2.3 Wire Rope for General Purposes	11-4
11.2.3.1 6 x 19 Classification.....	11-4
11.2.3.2 6 x 37 Classification.....	11-5
11.2.4 Wire-Rope Inspections.....	11-5
11.2.5 Wire-Rope Maintenance	11-5
11.3 SLINGS.....	11-8
11.3.1 General.....	11-8
11.3.1.1 Load Angle Factor	11-8
11.3.1.2 Safe Load	11-8
11.3.1.3 Design Factor.....	11-10
11.3.1.4 Sling Care.....	11-10
11.3.1.5 Sling Storage.....	11-10
11.3.1.6 Inspections	11-10
11.3.1.7 Sling Periodic Inspection Records	11-10
11.3.2 Wire-Rope Slings.....	11-10
11.3.2.1 Removal from Service Criteria	11-20
11.3.2.2 Proof-Testing	11-20
11.3.2.3 Operation.....	11-20
11.3.2.4 Critical Lifts	11-23
11.3.3 Alloy Steel-Chain Slings.....	11-24
11.3.3.1 Removal from Service Criteria	11-25
11.3.3.2 Annual Inspections.....	11-25
11.3.3.3 Proof-Testing	11-26
11.3.3.4 Operation.....	11-28
11.3.3.5 Critical Lifts	11-29
11.3.4 Metal-Mesh Slings	11-29
11.3.4.1 Removal from Service Criteria	11-32
11.3.4.2 Proof-Testing	11-32
11.3.4.3 Operation.....	11-32
11.3.4.4 Critical Lifts	11-33
11.3.5 Synthetic-Web Slings.....	11-33
11.3.5.1 Removal from Service Criteria	11-36
11.3.5.2 Proof-Testing	11-36
11.3.5.3 Operation.....	11-40
11.3.5.4 Critical Lifts	11-40
11.3.6 Synthetic Roundslings	11-41
11.3.6.1 Removal from Service Criteria	11-41
11.3.6.2 Proof-Testing	11-42
11.3.6.3 Operation.....	11-42
11.3.6.4 Critical Lifts	11-43

CHAPTER 12	RIGGING ACCESSORIES.....	12-1
12.1 GENERAL.....		12-1
12.1.1 Good and Bad Rigging Practices		12-1
12.2 RIGGING HOOKS.....		12-5
12.2.1 Design		12-5
12.2.2 Marking.....		12-5
12.2.3 Construction.....		12-5
12.2.4 Load Limits.....		12-5
12.2.5 Inspections		12-5
12.2.6 Testing	12-6	
12.2.7 Maintenance.....		12-6
12.2.8 Operation.....		12-6
12.3 SHACKLES.....		12-7
12.3.1 General.....		12-7
12.3.2 Effects of Environment.....		12-7
12.3.3 Training.....		12-7
12.3.4 Inspections		12-7
12.3.5 Removal Criteria.....		12-8
12.3.6 Repairs		12-8
12.3.7 Critical Lifts.....		12-8
12.4 EYEBOLTS.....		12-11
12.4.1 General		12-11
12.4.2 Effects of Environment.....		12-11
12.4.3 Training.....		12-11
12.4.4 Inspections		12-11
12.4.5 Removal Criteria.....		12-12
12.4.6 Repairs		12-12
12.4.7 Critical Lifts.....		12-12
12.5 EYE NUTS.....		12-14
12.5.1 General		12-14
12.5.2 Effects of Environment.....		12-14
12.5.3 Training.....		12-14
12.5.4 Inspections		12-14
12.5.5 Removal Criteria.....		12-15
12.5.6 Repairs		12-15
12.5.7 Critical Lifts.....		12-15
12.6 TURNBUCKLES		12-16
12.6.1 General		12-16

12.6.2	Operating Practices	12-16
12.6.3	Effects of Environment	12-16
12.6.4	Training	12-16
12.6.5	Inspections	12-16
12.6.6	Removal Criteria	12-17
12.6.7	Repairs	12-17
12.6.8	Critical Lifts	12-17
12.7	LINKS, RINGS, AND SWIVELS	12-19
12.7.1	General	12-19
12.7.2	Operating Practices	12-19
12.7.3	Effects of Environment	12-19
12.7.4	Training	12-19
12.7.5	Inspections	12-19
12.7.6	Removal Criteria	12-20
12.7.7	Repairs	12-20
12.7.8	Critical Lifts	12-20
12.8	SWIVEL HOIST RINGS	12-21
12.8.1	General	12-21
12.8.2	Effects of Environment	12-21
12.8.3	Training	12-21
12.8.4	Inspections	12-21
12.8.5	Removal Criteria	12-22
12.8.6	Repairs	12-22
12.8.7	Critical Lifts	12-22
12.9	LOAD-INDICATING DEVICES	12-25
12.9.1	General	12-25
12.9.2	Critical Lifts	12-25
12.10	PRECISION LOAD POSITIONERS	12-26
12.10.1	General	12-26
12.10.2	Critical Lifts	12-26
12.11	COMPRESSION HARDWARE	12-27
12.11.1	General	12-27
12.11.2	Assembly – Wire Rope Clips	12-27
12.11.3	Assembly – Wedge Sockets	12-27
12.11.4	Effects of Environment	12-28
12.11.5	Training	12-28
12.11.6	Inspections	12-28
12.11.7	Removal Criteria	12-28
12.11.8	Repairs	12-29
12.11.9	Critical Lifts	12-29

CHAPTER 13 LOAD HOOKS.....	13-1
13.1 GENERAL.....	13-1
13.1.1 Marking.....	13-1
13.1.2 Attachments	13-1
13.1.3 Load Limits.....	13-1
13.1.4 Hook Standards.....	13-1
13.2 INSPECTIONS	13-2
13.2.1 Hook Service.....	13-2
13.2.2 Initial Inspection	13-2
13.2.3 Daily Inspection	13-2
13.2.4 Frequent Inspection.....	13-2
13.2.5 Periodic Inspection.....	13-2
13.3 TESTING.....	13-4
13.4 NONDESTRUCTIVE TESTING (NDT).....	13-6
13.4.1 NDT Requirements	13-6
13.4.2 NDT Records	13-6
13.4.3 NDT Methods	13-6
13.4.4 Acceptance Criteria.....	13-6
13.4.5 Discontinuity Removal	13-6
13.5 MAINTENANCE.....	13-8
13.6 OPERATION	13-9
Exhibit I Exhibit Hood Periodic Inspection Report	13-11
CHAPTER 14 BELOW-THE-HOOK LIFTING DEVICES.....	14-1
14.1 GENERAL.....	14-1
14.2 STRUCTURAL AND MECHANICAL LIFTING DEVICES	14-2
14.2.1 Design/Fabrication.....	14-2
14.2.2 Marking.....	14-2
14.2.3 Modification/Rerating.....	14-2
14.2.4 Guarding	14-2
14.2.5 Inspections	14-2
14.2.5.1 Initial Inspection	14-2
14.2.5.2 Frequent Inspection.....	14-2
14.2.5.3 Periodic Inspection.....	14-3
14.2.6 Testing.....	14-3
14.2.6.1 Operational Test.....	14-3
14.2.6.2 Rated Load Test	14-7

14.2.7	Maintenance.....	14-7
14.2.8	Training/Qualification.....	14-7
14.2.9	Operation.....	14-7
14.2.10	Critical Lifts	14-8
14.3	VACUUM LIFTING DEVICES.....	14-9
14.3.1	Design/Fabrication	14-9
14.3.2	Marking.....	14-9
14.3.3	Installation.....	14-11
14.3.4	Inspections	14-11
14.3.4.1	Initial Inspection	14-11
14.3.4.2	Frequent Inspection.....	14-11
14.3.4.3	Periodic Inspection.....	14-11
14.3.5	Testing.....	14-12
14.3.5.1	Operational Test.....	14-12
14.3.5.2	Rated Load Test	14-12
14.3.6	Maintenance	14-12
14.3.7	Training/Qualification.....	14-12
14.3.8	Operation.....	14-13
14.3.9	Critical Lifts	14-14
14.4	MAGNETS, CLOSE-PROXIMITY-OPERATED	14-15
14.4.1	Design/Fabrication	14-15
14.4.2	Marking.....	14-15
14.4.2.1	Rated Load (Capacity)	14-17
14.4.2.2	Controls.....	14-17
14.4.3	Installation.....	14-17
14.4.4	Inspections	14-17
14.4.4.1	Initial Inspection	14-17
14.4.4.2	Frequent Inspection.....	14-17
14.4.4.3	Periodic Inspection.....	14-17
14.4.5	Testing	14-18
14.4.5.1	Operational Test.....	14-18
14.4.5.2	Rated Load Test	14-18
14.4.6	Maintenance	14-18
14.4.7	Training/Qualification.....	14-19
14.4.8	Operation.....	14-19
14.4.8.1	External-Powered Electromagnets.....	14-20
14.4.8.2	Battery-Operated Electromagnets	14-20
14.4.8.3	Electrically Controlled Permanent Magnets	14-20
14.4.8.4	Manually Controlled Permanent Magnets	14-20
14.4.9	Critical Lifts	14-20
14.5	MAGNETS, REMOTE-OPERATED	14-21
14.5.1	Design/Fabrication	14-21
14.5.2	Marking	14-21

14.5.3	Installation.....	14-21
14.5.4	Inspections	14-21
14.5.4.1	Initial Inspection	14-21
14.5.4.2	Frequent Inspection.....	14-21
14.5.4.3	Periodic Inspection.....	14-21
14.5.5	Testing	14-23
14.5.5.1	Operational Test.....	14-23
14.5.6	Maintenance.....	14-23
14.5.7	Training/Qualification.....	14-23
14.5.8	Operation.....	14-24
14.5.9	Critical Lifts	14-24
Exhibit I	Lifting Bars and Spreaders Load Test and Inspection	14-27

CHAPTER 15 CONSTRUCTION HOISTING AND RIGGING EQUIPMENT REQUIREMENTS15-1

15.1	GENERAL	15-1
15.2	PERSONNEL QUALIFICATIONS.....	15-2
15.2.1	Qualified Operators of Mobile Cranes.....	15-2
15.2.2	Qualified Operators of Forklift Trucks	15-3
15.2.3	Qualified Riggers	15-4
15.2.4	Person-in-Charge (PIC)	15-4
15.2.5	Designated Leader	15-5
15.2.6	Inspector.....	15-5
15.2.7	Maintenance.....	15-5
15.3	INSPECTION AND TESTING	15-6
15.4	OPERATION	15-7
15.4.1	General	15-7
15.4.2	Wire Rope Slings	15-7
15.5	STEEL ERECTION	15-8
15.5.1	General	15-8
15.5.2	Definitions.....	15-8
15.5.3	Pre-Shift Inspection of Cranes	15-8
15.5.4	Qualified Rigger.....	15-9
15.5.5	Lifting Personnel.....	15-9
15.5.6	Safety Latches	15-9
15.5.7	Working Under Loads.....	15-9
15.5.8	Multiple Load Lifts	15-9
CHAPTER 16	MISCELLANEOUS LIFTING DEVICES.....	16-1

16.1	GENERAL.....	16-1
16.1.1	Operator Training/Qualifications.....	16-1
16.1.2	Rated-Load Markings, Safety Markings and Operating Instructions .	16-1
16.1.3	Modifications	16-1
16.1.4	Load Limits.....	16-2
16.1.5	Operating Controls.....	16-2
16.1.6	Load Hook	16-2
16.1.7	Wire Rope	16-2
16.1.7	Assembly.....	16-2
16.2	INSPECTIONS	16-5
16.2.1	General.....	16-5
16.2.2	Initial Inspection	16-5
16.2.3	Daily Preoperational Inspection.....	16-5
16.2.4	Periodic Inspection.....	16-5
16.3	TESTING.....	16-7
16.3.1	Operational Test.....	16-7
16.3.2	Rated Load Test	16-7
16.4	MAINTENANCE.....	16-8
16.5	OPERATION	16-9
16.5.1	Conduct of Operator	16-9
CHAPTER 17.....	REFERENCES	
APPENDIX A	PROCUREMENT GUIDELINES	

History and Background

In 1975, cognizant safety and health personnel at the U.S. Department of Energy (DOE) Headquarters (HQ) met to discuss the need for a DOE hoisting and rigging manual. At that meeting, existing, applicable hoisting and rigging codes, standards, and regulations, such as the Occupational Safety and Health Administration (OSHA) 29 CFR 1910, the American National Standards Institute (ANSI) B-30 series, and others, were reviewed in detail. Subsequently, it was determined that these documents, while adequate as minimum general industry standards, did not contain the detail necessary to adequately accomplish the extremely complex, critical, and hazardous hoisting and rigging operations being performed at DOE sites, in all probability, at other government agency and private sectors throughout the country. Because of the high potential for accidents that could result in significant property loss or serious personnel injury or death, it was decided that a DOE hoisting and rigging manual was not only desirable but absolutely necessary.

Preliminary work on the manual was initiated in 1976. The manual that was developed at that time incorporated the minimum requirements of OSHA, ANSI, and similar documents and also included additional more stringent requirements deemed necessary to adequately control hoisting and rigging work processes throughout DOE. Each phase of the manual was then critically reviewed by DOE and contractor personnel. A final draft was completed in 1978 and implemented on a trial basis.

In June 1980, a decision was made to formally issue and distribute the manual under controlled distribution, an arrangement where the manual must be specifically requested from the originating source; however, once requested, updates are automatically received through an actively maintained distribution list. In 1982, the manual was included as a reference standard in DOE 5480.4, "Environmental Protection, Safety, and Health Protection Standards." Updates and improvements have been made over the years on an approximately annual basis. Revisions have occurred in 1984, 1985, 1986, 1988, 1989, 1993, 1995, 1996, 1999, 2001, 2004 and 2007 to clarify intent, comply with OSHA and ANSI B-30 changes, improve format, strengthen wording, delete needless redundancy, eliminate obsolescence, and the like. Prior to inclusion in the manual, all changes must be approved by the DOE Hoisting and Rigging Committee, which meets annually, and by the Headquarters Office of Worker Safety and Health Policy, which has safety responsibility for DOE hoisting and rigging. The Committee is also a major source for input into the manual, particularly concerning those areas that are not defined or are only generally defined by Federal and national standards, such as training and qualification, and those concerning the DOE's unique operational environment, such as hoisting and rigging over nuclear reactors and other locations containing critical equipment. In the years that minor revisions occur, only the changed pages, usually 8 to 10, are sent to individuals on the distribution list. After two to three such supplements, the manual is reissued in its entirety, which incorporates the previous supplements plus the most recent unpublished changes approved by the committee. An example is the complete revision issued in 1993 followed by another complete revision in 1996, 1999, 2001 and 2004 without any intervening supplements. In this case, the supplements were omitted because of the numerous improvements incorporated within the very short time period.

The reissued June 1995 edition marked a change in classification. The DOE Office of Scientific and Technical Information (OSTI) reclassified the manual as a handbook and it was issued as DOE Hoisting and Rigging Handbook (DOE-HDBK-1090-95). After further review, OSTI has reclassified the handbook as a DOE Technical Standard and the September 1996 edition was issued as DOE STANDARD HOISTING AND RIGGING (Formerly Hoisting and Rigging Manual) DOE-STD-1090-96 (Rev-1). Additional revisions issued are DOE-STD-1090-99, DOE-STD-1090-2001, DOE-STD-1090-2004, and DOE-STD-1090-2007..

While *The Hoisting and Rigging Standard* is in itself a best practice document, much of its content, such as the OSHA and the therein prescribed ANSI/ASME and and Crane Manufacturers Association of America standards are mandatory within DOE. In addition, many DOE organizations have, on their own initiative, adopted the standard as mandatory to ensure safe and proper hoisting and rigging operations at their facilities.

Acknowledgment

The Department of Energy (DOE) acknowledges the many organizations whose documents provided important source material for the standard. They include:

American Society of Mechanical Engineers

- ASME B30.2, "Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)"
- ASME B30.5, "Crawler, Locomotive, and Truck Cranes"
- ASME B30.9, "Slings"
- ASME B30.10, "Hooks"
- ASME B30.16, "Overhead Hoists (Underhung)"
- ASME B30.17, "Overhead and Gantry Cranes (Top Running Bridge, Single Girder Underhung Hoist)"
- ASME B30.20, "Below-the-Hook Lifting Devices"
- ASME B30.21, "Manually Lever Operated Hoist"
- ASME B30.22, "Articulating Boom Cranes"
- ASME B30.23, "Personnel Lifting Systems"
- ASME B30.26, "Rigging Hardware"
- ANSI/ITSDF B56.1, "Low Lift and High Lift Trucks"
- ANSI/ITSDF B56.6, "Rough Terrain Forklift Trucks"
- ASME PALD, "Portable Automotive Lifting Devices"

Construction Safety Association (CSA) of Ontario

- "The Rigging Handbook"

Society of Automotive Engineers, Inc. (SAE)

- SAE J1028, "Mobile Crane Working Area Definitions"

Permission to reprint specific figures and illustrations was obtained from CSA and SAE. Applicable sections of 29 CFR 1910, "Occupational Safety and Health Standards for General Industry," and 29 CFR 1926, "Occupational Safety and Health Regulations for Construction," have been

paraphrased or reproduced verbatim throughout. The contribution of DOE's Hoisting and Rigging Committee, which has met annually since 1980, is also recognized. Representing many DOE sites, this group has provided their advice as to the tone and content of this standard. Without their time and talent, which has been provided gratuitously, there would be no standard.

The standard is a safety, not a design, document intended for use by safety professionals and managers. In keeping with this philosophy, only those portions of standards and regulations dealing with safety, particularly those deemed most relevant to DOE operations, have been included. In that the target audience for this document is safety professionals and managers and not hoisting and rigging equipment designers, the design references cited within Chapter 17 of this Standard (References) should be consulted for specific design, fabrication, and other performance criteria. While it is convenient to have focused, in-depth hoisting and rigging safety information concentrated into one document, the significance of the above source material is acknowledged, and readers are strongly encouraged to review each of them so as to have a full description of the subject area covered.

Introduction

The U.S. Department of Energy (DOE) *Hoisting and Rigging Standard* is intended to be used by supervisors, line managers, safety personnel, equipment operators, and any other personnel responsible for safety of hoisting and rigging operations at DOE sites. The standard quotes verbatim or paraphrases (with minor editorial changes for consistency) the requirements of the U.S. Occupational Safety and Health Administration (OSHA) and the therein refenced standards of the American National Standards Institute (ANSI). It also encompasses, under one cover, applicable hoisting and rigging codes, standards, and regulations, eliminating the need to maintain extensive (and often incomplete) libraries of hoisting and rigging standards throughout DOE.

When formally invoked by contract, the use of the imperative voice (as in “Never use discarded load chain for slings”) or the word “shall” within this standard connotes a mandatory action, whereas use of the word “should” denotes a recommended action.

From chapter to chapter, the reader may notice what appears to be excessive repetition. Such repetition, however, is by design, enabling the use of each chapter, if needed or convenient, as a stand-alone document.

The standard occasionally goes beyond the minimum general industry standards established by OSHA and ANSI; and also delineates the more stringent provisions necessary to accomplish the extremely complex, diversified, critical, and oftentimes hazardous hoisting and rigging work found within the DOE complex. In doing so, it addresses the following items that are not covered in detail in the general industry standards:

1. Management responsibility and accountability
2. Operator/inspector training and qualification requirements
3. Definition of critical lifts and the additional requirements for making them
4. The need and responsibilities of a person-in-charge for critical lifts
5. The need and responsibilities of a designated leader for ordinary lifts
6. The definition and special requirements for preengineered production lifts
7. Special requirements for the testing, inspection, and maintenance of hoisting equipment in hostile environments
8. Nondestructive testing/nondestructive examination requirements for such items as hooks, welds, and spreader bars
9. Special requirements for inspection and load-testing of hoisting and rigging equipment/accessories
10. Hook latch requirements for cranes, slings, and rigging accessories
11. Design standards for such equipment as cranes, forklifts, and hooks

12. Operating practices for hoisting and rigging operations
13. Rigging information and load tables
14. Good and bad rigging practices.

Because the possibility of serious accidents resulting in personnel injury or death or significant property damage exists whenever hoisting and rigging take place, the requirements for these operations must be clearly defined and precautions ensured, including proper preplanning, extreme care, attention to detail, teamwork on the part of trained operators/riggers, and the use of equipment that is reliable, properly designed, inspected, and maintained. Although not mandatory at all DOE sites and locations, this standard has been used for many years by DOE and its contractors as a valuable resource for conducting hoisting and rigging safely and efficiently. It is felt that the full implementation of the provisions of this standard will dramatically strengthen hoisting and rigging programs throughout the DOE complex and will significantly decrease the probability of serious accidents resulting in personnel injury or death or severe property damage.

It should be noted that not all hoisting and rigging equipment or operational methods could be covered comprehensively by this standard. Hoisting and rigging equipment fabricated onsite or operated in manner not envisioned by this Standard shall be designed, constructed, operated, inspected and tested in accordance with the design engineer of record and applicable design standards. This Standard does not address elevators, drilling rigs, or the lifting loads with construction equipment not normally intended for lifting purposes (e.g., excavators, payloaders).

Also, this Standard does not repeat other DOE nuclear regulations, orders or standards (e.g., 10 CFR 830, "Nuclear Safety Management") with respect to safety analysis, technical safety requirements, or safety classifications of hoisting equipment. The applicable regulatory documents should be consulted to ensure conformance with these requirements during hoisting and rigging activities.

To propose improvements to this standard, please provide suggested text changes as well as supporting technical documentation to:

Mr. Patrick F. Finn, PE
U.S. Department of Energy
HS-11, 270 Corporate Square Building
1000 Independence Avenue, SW
Washington, DC 20585-0270